

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- sub C, 1 (currently amended): An electronic presentation system comprising:
- network communication means;
- a first image and voice display means connected to said communication means in which display control and communication control through said communication means are controlled by remote control means; and
- A~ a personal computer provided with a second image and voice display means connected to said communication means and different from said first image and voice display means placed in a position different from the position placing said first image and voice display means, and input means; wherein said remote control means selects the display contents displayed on said second image and voice display means to display said selected display contents on said first image and voice display means at the same time.
2. (original): The electronic presentation system according to claim 1, wherein said remote control means comprises a remote control transmitter sending a sending signal of a code corresponding to a depressed button and means for converting said sending signal of said remote

control transmitter to a communication signal of said communication means and sending the communication signal;

wherein said personal computer comprises means for converting said sending signal of said remote control transmitter sent through said communication means to a signal equivalent to the output signal of the input means provided in said personal computer, means for selecting the previously created display contents displayed on said second image and voice display means, by said converted signal equivalent to the output signal of said input means, and means for converting a display signal of said selected display contents displayed on said second image and voice display means to a communication signal of said communication means at the same time and sending the communication signal;

wherein said remote control means further comprises means for sending the display signal of said second image and voice display means sent through said communication means to said first image and voice display means.

3. (original): The electronic presentation system according to claim 2, wherein the selection of the previously created display contents displayed on said second image and voice display means, done by the signal equivalent to said converted output signal of said input means is executed by basic software installed in said personal computer and application software operated under said basic software and used to previously create said display contents.

4. (original): The electronic presentation system according to claim 2, wherein said communication means is a wired communication system.

5. (original): The electronic presentation system according to claim 2, wherein said communication means is a wireless communication system.

6. (new): The electronic presentation system according to claim 1, wherein said personal computer provided with a second image and voice display means is remotely connected.

7. (new): An electronic presentation system comprising:

network communications;

a remote control device;

AN a first image and voice display device connected to said network communications in which the display and control functions of the said first image and voice display device are performed by the said remote control device via the said network communications ; and

a personal computer provided with a second image and voice display device and is connected to said network communications;

wherein said remote control device selects the display contents on said personal computer to be displayed on said first and second image and voice display devices.

8. (new): The electronic presentation system according to claim 7, wherein said personal computer provided with a second image and voice display device is remotely connected.

9. (new): The electronic presentation system according to claim 7, wherein said remote control device comprises a remote control transmitter, remote control signal reception unit

connected to said network communications and said personal computer with presentation software connected to said network communications;

wherein said remote control transmitter sends a signal of a code corresponding to a depressed button on said remote control transmitter to said remote control signal reception unit which then transmits said code via said network communications;

wherein said personal computer with presentation software converts said code of said remote control signal reception unit sent through said network communications to a signal equivalent to the output signal of the input device or devices provided in said personal computer, selects the previously created display contents displayed on said second image and voice display device by said converted signal equivalent to the output signal of said input device or devices, converts said selected display contents displayed on said second image and voice display device to a communication signal of said network communications and sends the said communication signal via said network communications to said first image and voice display device.

10. (new): The electronic presentation system according to claim 9, wherein the selection of the previously created display contents displayed on said second image and voice display device done by the signal equivalent to said converted output signal of said input device or devices is executed by basic software installed in said personal computer and application software operated under said basic software and used to previously create said display contents.

11. (new): The electronic presentation system according to claim 9, wherein said network communications is a wired communication system.

AMENDMENT UNDER 37 C.F.R. § 1.111
U.S. Application No.: 09/933,017

Attorney Docket No: Q65899

Az
12. (new): The electronic presentation system according to claim 9, wherein said network communications is a wireless communication system.
